

SAFETY DATA SHEET

Ammonia 25%, puur

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1.	Product identifier	
	Trade name:	Ammonia 25%, puur
	Product no.:	AM344
1.2.	Relevant identified uses of the substance or	r mixture and uses advised against
	Relevant identified uses of the substance or mixture:	Laboratory use
	Uses advised against :	None known.
1.3.	Details of the supplier of the safety data she	eet
	Company and address:	Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Netherlands Tel: +31 255 700 210 www.laboratoriumdiscounter.nl/en/
	E-mail:	info@laboratoriumdiscounter.nl
	Revision:	02/03/2023
	SDS Version:	1.0
1.4.	Emergency telephone number	(-1:-1 111 - 24 h :)

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Corr. 1B; H314, Causes severe skin burns and eye damage. Eye Dam. 1; H318, Causes serious eye damage. STOT SE 3; H335, May cause respiratory irritation. Aquatic Acute 1; H400, Very toxic to aquatic life.

2.2. Label elements

Hazard pictogram(s):

Signal word: Hazard statement(s):



Danger Causes severe skin burns and eye damage. (H314) May cause respiratory irritation. (H335) Very toxic to aquatic life. (H400)

Safety statement(s):



out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

General:	If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)
Prevention:	Do not breathe vapour/mist. (P260) Wear face protection/protective gloves/protective clothing. (P280)
Response:	IF ON SKIN (or hair): Take off immediately al contaminated clothing. Rinse skin with wate . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
Storage:	Store locked up. (P405)
Disposal:	Dispose of contents/container in accordance with local regulation. (P501)
Hazardous substances:	ammonia%
Additional labelling:	Not applicable.
Other hazards	
Additional warnings:	This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria se

2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

2.3.

Product/substance	Identifiers	% w/w	Classification	Note
ammonia%	CAS No.: 1336-21-6		Met. Corr. 1, H290	
	EC No.: 215-647-6 UK-REACH:		Skin Corr. 1B, H314 STOT SE 3, H335	
	Index No.: 007-001-01-2		Aquatic Acute 1, H400 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information



SECTION 4: FIRST AID MEASURES

4.1.	Description of first aid measures	
	General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
	Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
	Skin contact:	Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment. Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
	Eye contact:	Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.
	Ingestion:	In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.
	Burns:	Not applicable.

Most important symptoms and effects, both acute and delayed 4.2.

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause



irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Nitrogen oxides (NO_x)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2R

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances.

Avoid inhalation of vapours from spilled material.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.



Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Storage temperature:

Incompatible materials:

Keep only in original packaging. Room temperature 15 to 25°C Strong acids

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

Genera	l recommend	lations:
--------	-------------	----------

Exposure scenarios:

Exposure limits:

Appropriate technical measures:

Hygiene measures:

Measures to avoid environmental exposure:

Smoking, drinking and consumption of food is not allowed in the work area.

There are no exposure scenarios implemented for this product.

Occupational exposure limits have not been defined for the substances in this product.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
к	Class 2 (medium capacity)	Green	EN14387	

Skin protection:



Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	R

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl	0,3	> 30	EN374-2, EN374-3, EN388	

Eye protection:

Туре	Standards	
Face shield	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

		• •
	Physical state:	Liquid
	Colour:	Transparent
	Odour / Odour threshold:	Ammonia odor
	pH:	Testing not relevant or not possible due to the nature of the product.
	Density (g/cm³):	0.91
	Kinematic viscosity:	Testing not relevant or not possible due to the nature of the product.
	Particle characteristics:	Does not apply to liquids.
Phase	e changes	
	Melting point/Freezing point (°C):	-55
	Softening point/range (waxes and pastes) (°C):	Does not apply to liquids.
	Boiling point (°C):	38
	Vapour pressure:	447 hPa
	Relative vapour density:	Testing not relevant or not possible due to the nature of the product.
	Decomposition temperature (°C):	Testing not relevant or not possible due to the nature of the product.
Data	on fire and explosion hazards	
	Flash point (°C):	Testing not relevant or not possible due to the nature of the product.
	Flammability (°C):	Testing not relevant or not possible due to the nature of the product.
	Auto-ignition temperature (°C):	630



Lower and upper explosion limit (% v/v):

Solubility

Solubility in water:

n-octanol/water coefficient:

Solubility in fat (g/L):

9.2. Other information

Other physical and chemical parameters:

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

No data available.

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity** No data available.
- **10.2.** Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
- **10.3. Possibility of hazardous reactions** None known.
- **10.4.** Conditions to avoid None known.
- **10.5. Incompatible materials** Strong acids
- **10.6.** Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.



Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data available.

- **12.2.** Persistence and degradability No data available.
- **12.3. Bioaccumulative potential** No data available.
- **12.4. Mobility in soil** No data available.
- **12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
- **12.6.** Endocrine disrupting properties Not applicable.
- **12.7. Other adverse effects** This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste. HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity HP 8 – Corrosive HP 14 – Ecotoxic Dispose of contents/container to an approved waste disposal plant.



Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN2672	AMMONIA SOLUTION	Class: 8 Labels: 8 Classification code: C5	III	Yes	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN2672	AMMONIA SOLUTION	Class: 8 Labels: 8 Classification code: C5	III	Yes	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN2672	AMMONIA SOLUTION	Class: 8 Labels: 8 Classification code: C5	III	Yes	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or



warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: 2R

- **14.6.** Special precautions for user Not applicable.
- **14.7.** Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:	People under the age of 18 shall not be exposed to this product.
Demands for specific education:	No specific requirements.
SEVESO - Categories / dangerous substance	es: E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes
Additional information:	Tactile warning. If this product is sold in retail, it must be delivered with child-resistant fastening.
Sources:	The Management of Health and Safety at Work Regulations 1999. Control of Major Accident Hazards (COMAH) Regulations 2015. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals. H314, Causes severe skin burns and eye damage.



H335, May cause respiratory irritation. H400, Very toxic to aquatic life.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Chris

Other



A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en