

SAFETY DATA SHEET

Chloroform 99,98% p.a.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier 1.1.

Trade name: Product no.: Other means of identification:

Chloroform 99,98% p.a. CHL34 Index No.: 602-006-00-4 EC No.: 200-663-8 CAS No.: 67-66-3

Relevant identified uses of the substance or mixture and uses advised against 1.2.

Relevant identified uses of the substance or mixture: Laboratory use None known.

Uses advised against :

1.3. Details of the supplier of the safety data sheet

Company and address:

Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Netherlands Tel: +31 255 700 210 www.laboratoriumdiscounter.nl/en/ info@laboratoriumdiscounter.nl 07/03/2023

Revision: SDS Version:

E-mail:

1.4.

Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed. Skin Irrit. 2; H315, Causes skin irritation. Eye Irrit. 2; H319, Causes serious eye irritation. Acute Tox. 3; H331, Toxic if inhaled. Carc. 2; H351, Suspected of causing cancer. Repr. 2; H361, Suspected of damaging fertility or the unborn child. STOT RE 1; H372, Causes damage to organs through prolonged or repeated exposure.

2.2. Label elements

Hazard pictogram(s):



1.0



	Signal word:	Danger
	Hazard statement(s):	Harmful if swallowed. (H302) Causes skin irritation. (H315) Causes serious eye irritation. (H319) Toxic if inhaled. (H331) Suspected of causing cancer. (H351) Suspected of damaging fertility or the unborn child. (H361) Causes damage to organs through prolonged or repeated exposure. (H372)
	Safety statement(s):	
	General:	-
	Prevention:	Obtain special instructions before use. (P201) Wear eye protection/protective gloves/protective clothing. (P280)
	Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. (P304+P340) Specific treatment (see instructions on this label). (P321)
	Storage:	Store in a well-ventilated place. Keep container tightly closed. (P403+P233)
	Disposal:	Dispose of contents/container in accordance with local regulation. (P501)
	Hazardous substances:	chloroform;trichloromethane
	Additional labelling:	For use in industrial installations only
2.3.	Other hazards	
	Additional warnings:	This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Product/substance	Identifiers	% w/w	Classification	Note
chloroform;trichlorometh ane	CAS No.: 67-66-3 EC No.: 200-663-8 UK-REACH: Index No.: 602-006-00-4	95-100%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 3, H331 Carc. 2, H351 Repr. 2, H361 STOT RE 1, H372	[1], [3], [4]

2018/605.

3.2. Mixtures



Not applicable. This product is a substance.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information


[1] European occupational exposure limit.

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

[4] Substance is listed in Annex I of the Prior Informed Consent Regulation (PIC, Regulation (EU) 649/2012).

SECTION 4: FIRST AID MEASURES

4.1.	Description of first aid measures	
	General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
	Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.
	Skin contact:	Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
	Eye contact:	Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.
	Ingestion:	In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping



the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Laboratoriumdiscounter

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Halogenated compounds Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: 2Z

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances. Avoid inhalation of vapours from spilled material.

6.2. Environmental precautions Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up



Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid direct contact with the product. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Storage temperature:

Incompatible materials:

Keep only in original packaging.

Room temperature 15 to 25°C

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

chloroform;trichloromethane No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Occupational exposure limits have not been defined for the substances in this product.
Appropriate technical measures:	Do not recirculate outlet air that contain the substances.
Hygiene measures:	Take off contaminated clothing and wash it before reuse.



Measures to avoid environmental exposure:

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.

Respiratory Equipment:

(espiratory Equipment.						
Туре	Class	Colour	Standards			
AX		Brown	EN14387			

Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	Î

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 480	EN374-2, EN374-3, EN388	

Eye protection:

2 1		
Туре	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

	Physical state:	Liquid
	Colour:	Transparent
	Odour / Odour threshold:	Characteristic
	pH:	Testing not relevant or not possible due to the nature of the product.
	Density (g/cm³):	1.48
	Kinematic viscosity:	0.38 mm²/s (20 °C)
	Particle characteristics:	Does not apply to liquids.
Phase	e changes	
	Melting point/Freezing point (°C):	-63
	Softening point/range (waxes and pastes) (°C):	Does not apply to liquids.
	Boiling point (°C):	61
	Vapour pressure:	211 hPa



Relative vapour density:	
Decomposition temperature (°C):	

Data on fire and explosion hazards

Flash point (°C):

Flammability (°C):

Auto-ignition temperature (°C):

Lower and upper explosion limit (% v/v):

Solubility

Solubility in water:

n-octanol/water coefficient:

Solubility in fat (g/L):

9.2. Other information

Other physical and chemical parameters:

4,25

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

No data available.

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity** No data available.
- **10.2.** Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
- **10.3. Possibility of hazardous reactions** None known.
- **10.4.** Conditions to avoid Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.
- **10.5. Incompatible materials** Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
- **10.6.** Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Harmful if swallowed. Toxic if inhaled.



Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Carcinogenic effects: This product contains substances considered or proven to be carcinogenic. The carcinogenic effects may be triggered subsequent to exposure through inhalation, skin contact or ingestion.

Reproductive toxicity: This product contains teratogenic substances, which may produce anomalies and/or developmental defects to the human offspring. Adverse effects include: death, growth retardation, congenital disorders, delayed mental development, and functional disorders. This product contains reprotoxic substances, which may harm the reproductive capacity. Adverse effects include: sterility, effects on the sexual function, lowered effective fertility and dysfunctional menstrual cycle.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

Not applicable.

Other information

chloroform;trichloromethane has been classified by IARC as a group 2B carcinogen.

SECTION 12: ECOLOGICAL INFORMATION



- **12.1. Toxicity** No data available.
- **12.2.** Persistence and degradability No data available.
- **12.3. Bioaccumulative potential** No data available.
- **12.4.** Mobility in soil No data available.
- **12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
- **12.6. Endocrine disrupting properties** Not applicable.
- **12.7.** Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)

HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP 6 - Acute toxicity

HP 7 – Carcinogenic

HP 10 - Toxic for reproduction

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION	I 14: TRANSPO	ORT INFORMATION	

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1888	CHLOROFORM	Class: 6.1 Labels: 6.1 Classification code: T1	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
IMDG	UN1888	CHLOROFORM	Class: 6.1 Labels: 6.1 Classification code: T1	III	No	Limited quantities: 5 L EmS: F-A S-A See below for additional information.
ΙΑΤΑ	UN1888	CHLOROFORM	Class: 6.1 Labels: 6.1 Classification code: T1	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: 2Z

14.6. Special precautions for user Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:	Restricted to professional users. People under the age of 18 shall not be exposed to this product. Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.		
Demands for specific education:	No specific requirements.		
SEVESO - Categories / dangerous substances:	H2 - ACUTE TOXIC, Qualifying quantity (lower- tier): 50 tonnes / (upper-tier): 200 tonnes		



UK-REACH, Annex XVII

chloroform;trichloromethane is subject to restrictions, UK-REACH annex XVII (entry 32).

Additional information: Sources: Not applicable.

The Management of Health and Safety at Work Regulations 1999. The Health and Safety at Work etc. Act 1974 Regulations 2013. Control of Major Accident Hazards (COMAH) Regulations 2015. Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

- H315, Causes skin irritation.
- H319, Causes serious eye irritation.
- H331, Toxic if inhaled.

H351, Suspected of causing cancer.

H361, Suspected of damaging fertility or the unborn child.

H372, Causes damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances



ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Chris

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en