

SAFETY DATA SHEET

Copper(II) chloride dihydrate ≥98.5%, extra pure

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name:

Product no.: Other means of identification: Copper(II) chloride dihydrate ≥98.5%, extra pure CUC834

EC No.: 600-176-4 CAS No.: 10125-13-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Laboratory use

Uses advised against :

None known.

1.3. Details of the supplier of the safety data sheet

Company and address:

Laboratoriumdiscounter Zandvoortstraat 75 1976BN Ijmuiden Netherlands Tel: +31 255 700 210 www.laboratoriumdiscounter.nl/en/ info@laboratoriumdiscounter.nl 09/03/2023 1.0

Revision: SDS Version:

E-mail:

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Met. Corr. 1; H290, May be corrosive to metals. Acute Tox. 4; H302, Harmful if swallowed. Skin Irrit. 2; H315, Causes skin irritation. Eye Irrit. 2; H319, Causes serious eye irritation. Aquatic Acute 1; H400, Very toxic to aquatic life. Aquatic Chronic 1; H410, Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s):

Warning

Signal word:



	Hazard statement(s):	May be corrosive to metals. (H290) Harmful if swallowed. (H302) Causes skin irritation. (H315) Causes serious eye irritation. (H319) Very toxic to aquatic life with long lasting effects. (H410)
	Safety statement(s):	
	General:	If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)
	Prevention:	Keep only in original packaging. (P234) Wash hands thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)
	Response:	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. (P301+P312) Absorb spillage to prevent material damage. (P390)
	Storage:	-
	Disposal:	Dispose of contents/container in accordance with local regulation. (P501)
	Hazardous substances:	Copper(II) chloride dihydrate
	Additional labelling:	Not applicable.
•	Other hazards	
	Additional warnings:	This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

2.3.

Product/substance	Identifiers	% w/w	Classification	Note
Copper(II) chloride dihydrate	CAS No.: 10125-13-0 EC No.: 600-176-4 UK-REACH: Index No.:	95-100%	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

3.2. Mixtures

Not applicable. This product is a substance.



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: FIRST AID MEASURES

4.1.	Description of first aid measures	
	General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.
		Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
	Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
	Skin contact:	 IF ON SKIN: Wash with plenty of water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
	Eye contact:	Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.
	Ingestion:	In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.
	Burns:	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.



4.3. Indication of any immediate medical attention and special treatment needed If eye irritation persists: Get medical advice/attention.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fireextinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Halogenated compounds

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: 2X

SECTION 6: ACCIDENTAL RELEASE MEASURES

- **6.1. Personal precautions, protective equipment and emergency procedures** Avoid direct contact with spilled substances.
- 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Minor spills are collected with a cloth. Collection and disposal of the material shall be done with minimum creation of dust. Sweep and collect. Shall be contained in suitable and tightly closed disposal containers.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections
 See section 13 "Disposal considerations" on handling of waste.
 See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid direct contact with the product. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a container with a resistant inner liner.



Recommended storage material: Storage temperature: Incompatible materials: Keep only in original packaging. Room temperature 15 to 25°C Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended. *General recommendations:*Smoking, drinking and consumption of food is not allowed in the work area

Exposure scenarios:

Exposure limits:

Appropriate technical measures:

Hygiene measures:

Measures to avoid environmental exposure:

is not allowed in the work area. There are no exposure scenarios

implemented for this product.

Occupational exposure limits have not been defined for the substances in this product.

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Take off contaminated clothing and wash it before reuse.

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
SL	Ρ3	White	EN149	

Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	R

Hand protection:



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,3	> 480	EN374-2, EN374-3, EN388	

Eye protection:

Туре	Standards	
Safety glasses v side shields.	vith EN166	$\overline{\mathbf{\Theta}}$

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

9.1.	Deviced state:					
	Physical state:	Crystalline				
	Colour:	Green				
	Odour / Odour threshold:	None				
	pH:	Testing not relevant or not possible due to the nature of the product.				
	pH in solution:	3 – 3,8 (5%)				
	Density (g/cm³):	2.51				
	Kinematic viscosity:	Does not apply to solids.				
	Particle characteristics:	Testing not relevant or not possible due to the nature of the product.				
Phase	e changes					
	Melting point/Freezing point (°C):	70 – 200 °C				
	Softening point/range (waxes and pastes) (°C):	Does not apply to solids.				
	Boiling point (°C):	598				
	Vapour pressure:	Testing not relevant or not possible due to the nature of the product.				
	Relative vapour density:	Does not apply to solids.				
	Decomposition temperature (°C):	70				
Data	on fire and explosion hazards					
	Flash point (°C):	Does not apply to solids.				
	Flammability (°C):	Testing not relevant or not possible due to the nature of the product.				
	Auto-ignition temperature (°C):	Testing not relevant or not possible due to the nature of the product.				
	Lower and upper explosion limit (% v/v):	Does not apply to solids.				
Solub	bility					
	Solubility in water:	1.150 g /l				
	n-octanol/water coefficient:	Testing not relevant or not possible due to				



Solubility in fat (g/L):

9.2. Other information

Other physical and chemical parameters:

No data available.

the nature of the product.

the nature of the product.

Testing not relevant or not possible due to

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity** No data available.
- **10.2.** Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
- **10.3. Possibility of hazardous reactions** None known.
- **10.4.** Conditions to avoid None known.
- **10.5. Incompatible materials** Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
- **10.6.** Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Harmful if swallowed.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure



Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

- **12.1. Toxicity** No data available.
- **12.2.** Persistence and degradability No data available.
- **12.3. Bioaccumulative potential** No data available.
- **12.4.** Mobility in soil No data available.
- **12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
- **12.6.** Endocrine disrupting properties Not applicable.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms. This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)

HP 6 - Acute toxicity

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.



Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN2802	COPPER CHLORIDE	Class: 8 Labels: 8 Classification code: C2	III	Yes	Limited quantities: 5 kg Tunnel restriction code: (E) See below for additional information.
IMDG	UN2802	COPPER CHLORIDE	Class: 8 Labels: 8 Classification code: C2	III	Yes	Limited quantities: 5 kg EmS: F-A S-B See below for additional information.
ΙΑΤΑ	UN2802	COPPER CHLORIDE	Class: 8 Labels: 8 Classification code: C2	III	Yes	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in



connection with transport. This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: 2X

- **14.6.** Special precautions for user Not applicable.
- **14.7.** Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Demands for specific education: SEVESO - Categories / dangerous substances:

Additional information: Sources: No special.

No specific requirements.

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes

Tactile warning.

The Management of Health and Safety at Work Regulations 1999. Control of Major Accident Hazards (COMAH) Regulations 2015. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

- H302, Harmful if swallowed.
- H315, Causes skin irritation.
- H319, Causes serious eye irritation.
- H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway



ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate **BCF = Bioconcentration Factor** CAS = Chemical Abstracts Service CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Chris

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.



Country-language: GB-en