

#### **SAFETY DATA SHEET**

# Potassium persulfate 99+%

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Trade name: Potassium persulfate 99+%

Product no.: KPS9324

Other means of identification: Index No.: 016-061-00-1

EC No.: 231-781-8 CAS No.: 7727-21-1

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Laboratory use Uses advised against: None known.

# 1.3. Details of the supplier of the safety data sheet

Company and address: Laboratorium discounter

Zandvoortstraat 75 1976BN Ijmuiden Netherlands

Tel: +31 255 700 210

www.laboratoriumdiscounter.nl/en/ info@laboratoriumdiscounter.nl

*Revision:* 08/03/2023

SDS Version: 1.0

# 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Ox. Sol. 3; H272, May intensify fire; oxidiser. Acute Tox. 4; H302, Harmful if swallowed.

Skin Irrit. 2; H315, Causes skin irritation.

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Irrit. 2; H319, Causes serious eye irritation.

Resp. Sens. 1; H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT SE 3; H335, May cause respiratory irritation.

# 2.2. Label elements

E-mail:

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s): May intensify fire; oxidiser. (H272)

Harmful if swallowed. (H302) Causes skin irritation. (H315)

May cause an allergic skin reaction. (H317)

Causes serious eye irritation. (H319) May cause allergy or asthma symptoms or breathing difficulties if inhaled. (H334) May cause respiratory irritation. (H335)

Safety statement(s):

General: If medical advice is needed, have product

container or label at hand. (P101) Keep out of reach of children. (P102)

Prevention: Avoid breathing dust. (P261)

Wear eye protection/protective gloves/protective clothing. (P280)

Response: IF ON SKIN: Wash with plenty of water and

soap. (P302+P352)

If skin irritation or rash occurs: Get medical

advice/attention. (P333+P313)

Storage: Store locked up. (P405)

Disposal: Dispose of contents/container in accordance

with local regulation. (P501)

Hazardous substances: dipotassium peroxodisulphate;potassium

persulphate

Additional labelling: Not applicable.

2.3. Other hazards

Additional warnings: This mixture/product does not contain any

substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU)

2017/2100 or Commission Regulation (EU)

2018/605.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Product/substance	Identifiers	% w/w	Classification	Note
peroxodisulphate;potassi um persulphate	CAS No.: 7727-21-1 EC No.: 231-781-8 UK-REACH: Index No.: 016-061-00-1	95-100%	Ox. Sol. 3, H272 Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Resp. Sens. 1, H334 STOT SE 3, H335	

Potassium persulfate 99+% Page 2 of 11



#### 3.2. **Mixtures**

Not applicable. This product is a substance.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

# Other information

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. **Description of first aid measures**

General information: In the case of accident: Contact a doctor or casualty department - take the label or this

safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or

other drink.

Upon breathing difficulties or irritation of the respiratory tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an

ambulance.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin

thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents

or thinners.

If skin irritation occurs: Get medical

advice/attention.

Upon irritation of the eye: Remove contact

lenses. Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a

doctor. Continue flushing during transport.

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If

*Inhalation:* 

Skin contact:

Eve contact:

Ingestion:



unconscious, roll the injured person into recovery position. Call an ambulance.
Rinse with water until pain stops then continue to rinse for 30 minutes.

Burns:

# 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

*Information to medics:* 

Bring this safety data sheet or the label from this product.

Page 4 of 11

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Sulphur oxides

Some metal oxides

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 1Z

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Avoid direct contact with spilled substances.

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

# 6.3. Methods and material for containment and cleaning up

Use only non-sparking tools. Clean up manually and place in appropriate containers for disposal. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.



# **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

Recommended storage material: Keep only in original packaging. Storage temperature: Room temperature 15 to 25°C

*Incompatible materials:* Strong acids, strong bases, strong oxidizing

agents, and strong reducing agents.

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### **DNEL**

No data available.

# **PNEC**

No data available.

#### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Occupational exposure limits have not been

defined for the substances in this product.

Appropriate technical measures: Apply standard precautions during use of the

product. Avoid inhalation of gas or dust.

Hygiene measures: Take off contaminated clothing and wash it

before reuse.

Measures to avoid environmental exposure: Keep damming materials near the workplace.

If possible, collect spillage during work.

# Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
S/SL	P2	White	EN149	

Potassium persulfate 99+% Page 5 of 11



Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	R

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 480	EN374-2, EN374-3, EN388	

Eye protection:

Туре	Standards	
Safety glasses with side shields.	EN166	

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical state:SolidColour:WhiteOdour / Odour threshold:None

pH: Testing not relevant or not possible due to

the nature of the product.

pH in solution: 4 (1%)Density  $(g/cm^3)$ : 2.48

Kinematic viscosity: Does not apply to solids.

Particle characteristics: Testing not relevant or not possible due to

the nature of the product.

**Phase changes** 

*Melting point/Freezing point (°C):* 100

Softening point/range (waxes and pastes) (°C): Does not apply to solids. Boiling point (°C): Does not apply to solids.

Vapour pressure: Testing not relevant or not possible due to

the nature of the product.

Relative vapour density: Does not apply to solids.

Decomposition temperature (°C): 100

Data on fire and explosion hazards

Flash point (°C): Does not apply to solids.

Flammability (°C): Testing not relevant or not possible due to

the nature of the product.

*Auto-ignition temperature (°C):* 600

Potassium persulfate 99+% Page 6 of 11



Lower and upper explosion limit (% v/v): Does not apply to solids.

Solubility

Solubility in water: 52.77g/l

*n-octanol/water coefficient:* Testing not relevant or not possible due to

the nature of the product.

Solubility in fat (g/L): Testing not relevant or not possible due to

the nature of the product.

9.2. Other information

Other physical and chemical parameters: No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

# 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

#### **Acute toxicity**

Harmful if swallowed.

#### Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/irritation

Causes serious eye irritation.

#### **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

# Carcinogenicity

Based on available data, the classification criteria are not met.

# Reproductive toxicity

Potassium persulfate 99+% Page 7 of 11

Based on available data, the classification criteria are not met.

# STOT-single exposure

May cause respiratory irritation.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

# Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

# **Endocrine disrupting properties**

Not applicable.

#### Other information

None known.

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

No data available.

# 12.2. Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# 12.6. Endocrine disrupting properties

Not applicable.

#### 12.7. Other adverse effects

None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 2 - Oxidising

HP 4 - Irritant (skin irritation and eye damage)

HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP 6 - Acute toxicity

HP 13 - Sensitising

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK



law.

#### **EWC** code

Not applicable.

# Specific labelling

Not applicable.

# **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1492	POTASSIUM PERSULPHATE	Class: 5.1 Labels: 5.1 Classification code: O2	III	No	Limited quantities: 5 kg Tunnel restriction code: (E) See below for additional information.
IMDG	UN1492	POTASSIUM PERSULPHATE	Class: 5.1 Labels: 5.1 Classification code: O2	III	No	Limited quantities: 5 kg EmS: F-A S-Q See below for additional information.
IATA	UN1492	POTASSIUM PERSULPHATE	Class: 5.1 Labels: 5.1 Classification code: O2	III	No	See below for additional information.

<sup>\*</sup> Packing group

#### **Additional information**

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 1Z

# 14.6. Special precautions for user

Not applicable.

Potassium persulfate 99+% Page 9 of 11

<sup>\*\*</sup> Environmental hazards

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: People under the age of 18 shall not be

exposed to this product.

Demands for specific education: No specific requirements.

SEVESO - Categories / dangerous substances: P8 - OXIDISING LIQUIDS AND SOLIDS,

Qualifying quantity (lower-tier): 50 tonnes /

(upper-tier): 200 tonnes

Additional information: Tactile warning.

Sources: The Management of Health and Safety at

Work Regulations 1999.

Control of Major Accident Hazards (COMAH)

Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on

classification, labelling and packaging of substances and mixtures (CLP) as retained

and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained

and amended in UK law.

# 15.2. Chemical safety assessment

No

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-phrases as mentioned in section 3

H272, May intensify fire; oxidiser.

H302, Harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335, May cause respiratory irritation.

# Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

Potassium persulfate 99+% Page 10 of 11



CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the mixture in regard to physical hazards has been based on experimental

# The safety data sheet is validated by

Chris

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en